



Excelbis Labs  
1920 E Warner Avenue  
Santa Ana, CA 92705

(714) 340-7099  
http://excelbislabs.com  
Lic# C8-0000059-LIC

QA Testing  
1of3

## Stoner Hash Hole PreRolls 2.3G

Strain: Sativa  
Matrix: Plant Type: Plant  
Cured Sample Size: ; Batch:

Produced:  
Collected:  
Received:  
Completed: 07/15/2026  
Batch#: 26465-975

Client  
**Stoner Hemp**  
Lic. #  
Na  
OK



### Summary

| Test            | Date Tested | Result           |
|-----------------|-------------|------------------|
| Batch           |             | Pass             |
| Cannabinoids    |             | Complete         |
| Foreign Matter  |             | Complete         |
| Heavy Metals    | 06/15/2026  | Pass             |
| Microbials      |             | Pass             |
| Moisture        |             | 12.8% - Complete |
| Mycotoxins      |             | Pass             |
| GCMS Pesticides |             | Pass             |
| LCMS Pesticides |             | Pass             |
| Water Activity  |             | 0.05 aw - Pass   |

### Cannabinoids

Complete

**0.234%**

Total THC

**17.428%**

Total CBD

**33.924%**

Total Cannabinoids

| Analyte   | LOD   | LOQ   | Result        | Result         |
|-----------|-------|-------|---------------|----------------|
|           | mg/g  | mg/g  | %             | mg/g           |
| CBC       | 0.009 | 0.025 | 0.0922        | 0.922          |
| CBD       | 0.025 | 0.100 | 17.3697       | 173.697        |
| CBDa      | 0.019 | 0.050 | 0.0662        | 0.662          |
| CBG       | 0.019 | 0.050 | 0.0857        | 0.857          |
| CBN       | 0.009 | 0.050 | ND            | ND             |
| Δ8-THC    | 0.025 | 0.100 | ND            | ND             |
| Δ9-THC    | 0.019 | 0.100 | 0.1686        | 1.686          |
| THCa      | 0.013 | 0.050 | 0.0747        | 0.747          |
| THCV      | 0.025 | 0.100 | ND            | ND             |
| Total THC |       |       | <b>0.234</b>  | <b>2.341</b>   |
| Total CBD |       |       | <b>17.428</b> | <b>174.277</b> |
| Total CBG |       |       | <b>0.086</b>  | <b>0.857</b>   |
| Total     |       |       | <b>33.924</b> | <b>339.243</b> |

Date Tested:

Total THC = THCa \* 0.877 + Δ9-THC + Δ8-THC; Total CBD = CBDa \* 0.877 + CBD; Total CBG = CBGa \* 0.877 + CBG.

Total Cannabinoids = Total THC + Total CBD + Total CBG + minor cannabinoids.

Cannabinoids: HPLC, SOP-004

Water Activity: Water Activity Meter, SOP-012

Moisture Content: Moisture Analyzer, SOP-011

Foreign Matter: Visual Inspection, SOP-001



Accreditation #128081  
ISO/IEC 17025:2017

*Dr. Jerry White PhD Bryan Zaharkaylo*

Con dent LIMS  
All Rights Reserved  
coa.support@con dentlims.com  
(866) 506-5866  
www.con dentlims.com



ND = Not Detected, NR = Not Reported, LOD = Limit of Detection, LOQ = Limit of Quantitation. This product has been tested by Excelbis Labs LLC using valid testing methodologies and a quality system as required by state law. All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). Values reported relate only to the product tested. Excelbis Labs LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Excelbis Labs LLC. This Certificate of Analysis is limited to the sample tested in a batch. This Certificate does not make any representation or warranty for all Products within the tested Batch.



Excelbis Labs  
1920 E Warner Avenue  
Santa Ana, CA 92705

(714) 340-7099  
http://excelbislabs.com  
Lic# C8-0000059-LIC

QA Testing  
2of3

## Stoner Hash Hole PreRolls 2.3G

Strain: Sativa  
Matrix: Plant Type: Plant  
Cured Sample Size: ; Batch:

Produced:  
Collected:  
Received:  
Completed: 07/15/2026  
Batch#: 26465-975

Client  
**Stoner Hemp**  
Lic. #  
Na  
OK

### GC Pesticides

Pass

| Analyte                              | LOD    | LOQ    | Limit  | Mass | Status |
|--------------------------------------|--------|--------|--------|------|--------|
|                                      | µg/g   | µg/g   | µg/g   | µg/g |        |
| Captan                               | 0.231  | 0.7    | 0.7    | ND   | Pass   |
| Chlordane (trans + cis)              | 0.0116 | 0.035  | 0.0116 | ND   | Pass   |
| Chlorfenapyr                         | 0.0058 | 0.0175 | 0.0058 | ND   | Pass   |
| Cyuthrin                             | 0.0231 | 0.07   | 2      | ND   | Pass   |
| Cypermethrin                         | 0.0231 | 0.07   | 1      | ND   | Pass   |
| Parathion Methyl                     | 0.0058 | 0.0175 | 0.0058 | ND   | Pass   |
| Pentachloronitrobenzene (Quintozene) | 0.0231 | 0.07   | 0.1    | ND   | Pass   |

### Mycotoxins

Pass

| Analytes        | LOD    | LOQ     | Limit | Conc. | Status |
|-----------------|--------|---------|-------|-------|--------|
|                 | PPB    | PPB     | PPB   | PPB   |        |
| A atoxin B1     | 1.7000 | 5.0000  |       | ND    | Tested |
| A atoxin B2     | 1.7000 | 5.0000  |       | ND    | Tested |
| A atoxin G1     | 1.7000 | 5.0000  |       | ND    | Tested |
| A atoxin G2     | 1.7000 | 5.0000  |       | ND    | Tested |
| Ochratoxin A    | 6.6000 | 20.0000 | 20    | ND    | Pass   |
| Total A atoxins |        |         | 20    | ND    | Pass   |

### Microbials

Pass

| Analyte                       | Limit | Detected / Not Detected | Status |
|-------------------------------|-------|-------------------------|--------|
|                               | RFU/g | RFU/g                   |        |
| Aspergillus avus              | 0     | Not Detected            | Pass   |
| Aspergillus fumigatus         | 0     | Not Detected            | Pass   |
| Aspergillus niger             | 0     | Not Detected            | Pass   |
| Aspergillus terreus           | 0     | Not Detected            | Pass   |
| Shiga toxin-producing E. Coli | 0     | Not Detected            | Pass   |
| Salmonella SPP                | 0     | Not Detected            | Pass   |

### Heavy Metals

Pass

| Analyte | LOD     | LOQ   | Limit | Conc. | Status |
|---------|---------|-------|-------|-------|--------|
|         | PPM     | PPM   | PPM   | PPM   |        |
| Arsenic | 0.0150  | 0.05  | 0.2   | ND    | Pass   |
| Cadmium | 0.0113  | 0.05  | 0.2   | ND    | Pass   |
| Lead    | 0.00615 | 0.05  | 0.5   | ND    | Pass   |
| Mercury | 0.00126 | 0.005 | 0.1   | ND    | Pass   |

GCMS Date Tested:  
Pesticides: GC-MS/MS, GCMS Method SOP-006  
LCMS Date Tested:  
Mycotoxins Footnote: Mycotoxins: LC-MS/MS, LCMS Method LCP-SOP-001  
Microbial Date Tested:  
Microbials Footnote: Microbial: SOP-010  
RFU = Relative Fluorescence Units  
Heavy Metals Date Tested:  
Heavy Metals: Heavy Metals: ICP-MS, SOP-007



*Dr. Jerry White PhD Bryan Zaharkaylo*

Con dent LIMS  
All Rights Reserved  
coa.support@con dentlims.com  
(866) 506-5866  
www.con dentlims.com



ND = Not Detected, NR = Not Reported, LOD = Limit of Detection, LOQ = Limit of Quantitation, This product has been tested by Excelbis Labs LLC using valid testing methodologies and a quality system as required by state law. All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). Values reported relate only to the product tested. Excelbis Labs LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Excelbis Labs LLC. This Certificate of Analysis is limited to the sample tested in a batch. This Certificate does not make any representation or warranty for all Products within the tested Batch.



## LC Pesticides

| Analyte               | LOD   | LOQ  | Limit | Result | Status | Analyte                                     | LOD    | LOQ  | Limit | Result | Status |
|-----------------------|-------|------|-------|--------|--------|---------------------------------------------|--------|------|-------|--------|--------|
|                       | µg/g  | µg/g | µg/g  | µg/g   |        |                                             | µg/g   | µg/g | µg/g  | µg/g   |        |
| Abamectin             | 0.033 | 0.1  | 0.1   | ND     | Pass   | Imazalil                                    | 0.033  | 0.1  | 0.033 | ND     | Pass   |
| Acephate              | 0.033 | 0.1  | 0.1   | ND     | Pass   | Imidacloprid                                | 0.033  | 0.1  | 5     | ND     | Pass   |
| Acequinocyl           | 0.033 | 0.1  | 0.1   | ND     | Pass   | Kresoxim Methyl                             | 0.033  | 0.1  | 0.1   | ND     | Pass   |
| Acetamiprid           | 0.033 | 0.1  | 0.1   | ND     | Pass   | Malathion                                   | 0.033  | 0.1  | 0.5   | ND     | Pass   |
| Aldicarb              | 0.033 | 0.1  | 0.033 | ND     | Pass   | Metaxyl                                     | 0.033  | 0.1  | 2     | ND     | Pass   |
| Azoxystrobin          | 0.033 | 0.1  | 0.1   | ND     | Pass   | Methiocarb                                  | 0.033  | 0.1  | 0.033 | ND     | Pass   |
| Bifenazate            | 0.033 | 0.1  | 0.1   | ND     | Pass   | Methomyl                                    | 0.033  | 0.1  | 1     | ND     | Pass   |
| Bifenthrin            | 0.033 | 0.1  | 3     | ND     | Pass   | Mevinphos                                   | 0.033  | 0.1  | 0.033 | ND     | Pass   |
| Boscalid              | 0.033 | 0.1  | 0.1   | ND     | Pass   | Myclobutanil                                | 0.033  | 0.1  | 0.1   | ND     | Pass   |
| Carbaryl              | 0.033 | 0.1  | 0.5   | ND     | Pass   | Naled                                       | 0.033  | 0.1  | 0.1   | ND     | Pass   |
| Carbofuran            | 0.033 | 0.1  | 0.033 | ND     | Pass   | Oxamyl                                      | 0.033  | 0.1  | 0.5   | ND     | Pass   |
| Chlorantraniliprole   | 0.033 | 0.1  | 10    | ND     | Pass   | Paclobutrazol                               | 0.033  | 0.1  | 0.033 | ND     | Pass   |
| Chlorpyrifos          | 0.033 | 0.1  | 0.033 | ND     | Pass   | Permethrin (trans + cis)                    | 0.033  | 0.1  | 0.5   | ND     | Pass   |
| Clofentezine          | 0.033 | 0.1  | 0.1   | ND     | Pass   | Phosmet                                     | 0.033  | 0.1  | 0.1   | ND     | Pass   |
| Coumaphos             | 0.033 | 0.1  | 0.033 | ND     | Pass   | Piperonyl Butoxide                          | 0.033  | 0.1  | 3     | ND     | Pass   |
| Daminozide            | 0.033 | 0.1  | 0.033 | ND     | Pass   | Prallethrin                                 | 0.033  | 0.1  | 0.1   | ND     | Pass   |
| Diazinon              | 0.1   | 0.1  | 0.1   | ND     | Pass   | Propiconazole                               | 0.033  | 0.1  | 0.1   | ND     | Pass   |
| Dichlorvos            | 0.033 | 0.1  | 0.033 | ND     | Pass   | Propoxur                                    | 0.033  | 0.1  | 0.033 | ND     | Pass   |
| Dimethoate            | 0.033 | 0.1  | 0.033 | ND     | Pass   | Pyrethrins (Cinerin + Jasmolin + Pyrethrin) | 0.0133 | 0.04 | 0.5   | ND     | Pass   |
| Dimethomorph (I + II) | 0.033 | 0.1  | 2     | ND     | Pass   | Pyridaben                                   |        | 0.1  | 0.1   | ND     | Pass   |
| Ethoprophos           | 0.033 | 0.1  | 0.033 | ND     | Pass   | Spinetoram (J + L)                          | 0.033  | 0.1  | 0.1   | ND     | Pass   |
| Etofenprox            | 0.033 | 0.1  | 0.033 | ND     | Pass   | Spinosyn (A + D)                            | 0.033  | 0.1  | 0.1   | ND     | Pass   |
| Etoazole              | 0.033 | 0.1  | 0.1   | ND     | Pass   | Spiromesifen                                | 0.033  | 0.1  | 0.1   | ND     | Pass   |
| Fenhexamid            | 0.033 | 0.1  | 0.1   | ND     | Pass   | Spirotetramat                               | 0.033  | 0.1  | 0.1   | ND     | Pass   |
| Fenoxycarb            | 0.033 | 0.1  | 0.033 | ND     | Pass   | Spiroxamine                                 | 0.033  | 0.1  | 0.033 | ND     | Pass   |
| Fenpyroximate         | 0.033 | 0.1  | 0.1   | ND     | Pass   | Tebuconazole                                | 0.033  | 0.1  | 0.1   | ND     | Pass   |
| Fipronil              | 0.033 | 0.1  | 0.033 | ND     | Pass   | Thiacloprid                                 | 0.033  | 0.1  | 0.033 | ND     | Pass   |
| Flonicamid            | 0.033 | 0.1  | 0.1   | ND     | Pass   | Thiamethoxam                                | 0.033  | 0.1  | 5     | ND     | Pass   |
| Fludioxonil           | 0.033 | 0.1  | 0.1   | ND     | Pass   | Tri oxystrobin                              | 0.033  | 0.1  | 0.1   | ND     | Pass   |
| Hexythiazox           | 0.033 | 0.1  | 0.1   | ND     | Pass   |                                             | 0.033  |      |       |        |        |

EXCELBIS  
LABS



Accreditation #128081  
ISO/IEC 17025:2017

Dr. Jerry White PhD Bryan Zaharkaylo

Con dent LIMS  
All Rights Reserved  
coa.support@con dentlims.com  
(866) 506-5866  
www.con dentlims.com



ND = Not Detected, NR = Not Reported, LOD = Limit of Detection, LOQ = Limit of Quantitation. This product has been tested by Excelbis Labs LLC using valid testing methodologies and a quality system as required by state law. All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). Values reported relate only to the product tested. Excelbis Labs LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Excelbis Labs LLC. This Certificate of Analysis is limited to the sample tested in a batch. This Certificate does not make any representation or warranty for all Products within the tested Batch.